

EXHIBIT B - CONDITIONS OF APPROVAL
DRC2014-00048 Ehda

Approved Development

1. This Minor Use Permit/Coastal Development Permit authorizes the construction of a 408 square-foot addition to an existing 1,122 square-foot single-family residence. The project will result in the permanent disturbance of approximately 408 square-feet on an approximately 4,166 square-foot parcel.
2. Maximum height is 24 feet (as measured from the center line of the fronting street at a point midway between the two side property lines projected to the street center line, to the highest point of the roof).
3. All development shall be consistent with the approved site and architectural elevations.

Conditions required to be completed at the time of application for construction permits

4. **At the time of application for construction permits**, all project conditions shall be clearly printed on the plans and construction documents shall be consistent with the currently adopted California Codes.
5. **At the time of application for construction permits**, all plans and engineering shall be prepared by a California Licensed Architect of Record or Engineer for all design portions of the project that do not meet "conventional construction" as defined by the current building code.
6. **At the time of application for construction permits**, the project is subject to the California State Title 24 energy laws.

Site Development

7. **At the time of application for construction permits**, development shall be consistent with the approved site plan, floor plans, and architectural elevations.
8. **At the time of application for construction permits**, the applicant shall provide details on any proposed exterior lighting, if applicable. The details shall include the height, location, and intensity of all exterior lighting. All lighting fixtures, including security lighting, shall be aimed and shielded so that neither the lamp nor the related reflector interior surface is visible from adjacent properties. Light hoods shall be dark colored.

Fire Safety

9. **At the time of application for construction permits**, all plans submitted to the Department of Planning and Building shall meet the fire and life safety requirements of the California Fire Code. Requirements shall include, but not be limited to those outlined in the Fire Safety Plan, to be prepared at the time of application for construction permits by the Cayucos Fire Department for this proposed project.

Services

10. **At the time of application for construction permits**, the applicant shall provide confirmation of water and sewer availability letters from Paso Robles Beach Water Association and Cayucos Sanitary District to service the property and the addition.

Grading, Drainage, Sedimentation and Erosion Control

11. **At the time of application for construction permits**, the applicant shall demonstrate whether the project is subject to the LUO Section for Stormwater Management. Applicable projects shall submit a Stormwater Control Plan (SWCP) prepared by an appropriately licensed professional to the County for review and approval. The SWCP shall incorporate appropriate BMP's, shall demonstrate compliance with the Stormwater Quality Standards and shall include a preliminary drainage plan, a preliminary erosion and sedimentation plan. The applicant shall submit complete drainage calculations for review and approval.
12. **At the time of application for construction permits**, the applicant shall submit a complete drainage plan for review and approval, by the Public Works Department, in accordance with Section 23.05.040 through 23.05.050 of the Coastal Zone Land Use Ordinance. Drainage plans should be designed to retain water on-site and encourage infiltration when feasible. Natural drainage patterns should be retained and remediated if retention is infeasible on-site.
13. **At the time of application for construction permits**, the applicant shall submit a complete erosion and sedimentation control plan for review and approval in accordance with 23.05.036.
14. **Prior to issuance of construction permits**, if grading is to occur between October 15 and April 15, a sedimentation and erosion control plan shall be submitted pursuant to Coastal Zone Land Use Ordinance Section 23.05.036.
15. **At the time of application for construction permits**, the project may require a full soils report for the design of all building foundations at the time of construction permit application submittal.
16. **At the time of application for construction permits**, the project shall conform to the "National Pollutant Discharge Elimination System" storm water management program regulations.

Conditions to be completed during project construction

Fees

17. **Prior to issuance of a construction permit**, the applicant shall pay all applicable school and public facilities fees.

Grading, Drainage, Sedimentation and Erosion Control

18. All runoff from impervious surfaces such as roofs, driveways, walks, patios, decks, shall be collected and detained on-site, or passed on through an effective erosion control device or drainage system approved by the County Engineer.
19. Permanent erosion control devices shall be installed prior to or concurrently with on-site grading activities.
20. Grading, filling or site disturbance of existing soil and vegetation shall be limited to the minimum areas necessary.
21. Stockpiles and other disturbed soils shall be protected from rain and erosion by plastic sheets or other covering.

22. All areas disturbed by grading activities shall be re-vegetated with temporary or permanent erosion control devices in place.
23. Appropriate sedimentation measures to be implemented at the end of each day's work.

Building Height

24. The maximum height of the project is 24 feet (as measured from the center line of the fronting street at a point midway between the two side property lines projected to the street center line, to the highest point of the roof).
 - a. **Prior to any site disturbance**, a licensed surveyor or civil engineer shall stake the lot corners, building corners, and establish the center line of the fronting street at a point midway between the two side property lines and set a reference point (benchmark).
 - b. **Prior to approval of the foundation inspection**, the benchmark shall be inspected by a licensed surveyor prior to pouring footings or retaining walls, as an added precaution.
 - c. **Prior to approval of the roof nailing inspection**, the applicant shall provide the building inspector with documentation that gives the height reference, the allowable height and the actual height of the structure. This certification shall be prepared by a licensed surveyor or civil engineer.

Conditions to be completed prior to occupancy or final building inspection /establishment of the use

Fire Protection

25. **Prior to occupancy or final inspection**, which ever occurs first, the applicant shall obtain final inspection and approval from Cayucos Fire Department of all required fire/life safety measures.

Cayucos Community Services District

26. Applicant shall submit for final plumbing inspection upon completion of the project.

Development Review Inspection

27. **Prior to occupancy of any structure associated with this approval**, the applicant shall contact the Department of Planning and Building to have the site inspected for compliance with the conditions of this approval.

Public Works Review

28. **Prior to occupancy or final inspection**, all public improvements that have been constructed or reconstructed in accordance with County Public Improvement Standards and to the satisfaction of the County Public Workers Inspector.
29. **Prior to occupancy or final inspection**, all driveway and other approved frontage improvements have been constructed or reconstructed in accordance with County Public Improvement Standards and to the satisfaction of the County Public Works Inspector.

On-going conditions of approval (valid for the life of the project)

Access

30. **On-going condition of approval (valid for the life of the project)**, and in accordance with County Code Section 13.08, no activities associated with this permit shall be allowed to occur within the public right-of-way including, but not limited to tree planting; fences; etc. without a valid Encroachment Permit issued by the Department of Public Works.

Drainage

31. **On-going condition of approval (valid for the life of the project)**, the project shall comply with the requirements of the National Pollutant Discharge Elimination System Phase I and/or Phase II storm water program and the County's Storm Water Pollution Control and Discharge Ordinance, Title 8, Section 8.68 et sec.

General

32. This land use permit is valid for a period of 24 months from its effective date unless time extensions are granted pursuant to Land Use Ordinance Section 23.02.050 or the land use permit is considered vested. This land use permit is considered to be vested once a construction permit has been issued and substantial site work has been completed. Substantial site work is defined by Coastal Zone Land Use Ordinance Section 23.02.042 as site work progressed beyond grading and completion of structural foundations; and construction is occurring above grade.
33. All conditions of this approval shall be strictly adhered to, within the time frames specified, and in an on-going manner for the life of the project. Failure to comply with these conditions of approval may result in an immediate enforcement action by the Department of Planning and Building. If it is determined that violation(s) of these conditions of approval have occurred or are occurring, this approval may be revoked pursuant to Coastal Zone Land Use Ordinance Section 23.10.160.